

MB-2000 MICROBIOCIDE

DESCRIPTION

MB-2000 is a non-foaming, non-oxidizing liquid microbiocide for use in cooling tower systems.

MB-2000 is not a WHMIS Controlled Product but regulated under the P.C.P Act, Registration No. 27372.

MB-2000 is a broad-spectrum product used to control algae, bacteria, and fungi in recirculating and industrial cooling towers. It is effective at all pH values and will not cause foam.

MB-2000 is a concentrated liquid product that is convenient to use. It is clear light brown in appearance, with the following characteristics.

Specific Gravity:	1.04
pH:	6.0 - 7.0

DIRECTION FOR USE

Prior to the use of MB-2000 in cooling towers, the system should be cleaned to remove algal growth, microbiological slime, and other deposits. Then make an initial slug addition of 420 to 1050 mL of MB-2000 per 10,000 litres of water in the system. Repeat the initial dosage until control is evident. Make subsequent slug additions of 120 to 1050 mL of MB-2000 per 10,000 litres of water every 2 to 5 days or as needed. The frequency of addition depends upon the relative amounts of bleed-off and the severity of the microbiological problem.

Slug additions should be made to the sump of the cooling tower.

AVAILABILITY

20 Litre Pail

205 Litre Drum

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams, and ponds. Do not contaminate water, food or feed by storage or disposal. Do not reuse empty containers

HANDLING PRECAUTIONS

Wear the appropriate safety equipment before handling any chemicals. For further information, please refer to the Material Safety Data Sheet.

TERMS OF SALE

To the best of our knowledge the information contained herein is accurate and true. Any recommendations or suggestions are made without warranty or liability on our part since the conditions of use are beyond our control.

For further information on this product, please contact our office or your service representative .