

PRESERVIT NL

CLOSED SYSTEM TREATMENT

DESCRIPTION

PRESERVIT NL Closed System Treatment is designed to fully protect hot and chilled recirculating water systems against corrosion and inhibit hard water scale formation. PRESERVIT NL will protect the system component under both static and circulated conditions.

PRESERVIT NL is a nitrite based corrosion inhibitor combined with triazoles inhibitor to protect steel, copper and copper based alloys. PRESERVIT NL is a concentrated liquid product with a straw coloured appearance, and the following characteristics.

Specific Gravity: 1.18 – 1.22

pH: 12.5 - 13.5

APPLICATION

PRESERVIT NL can be pumped into the system directly or added through a pot feeder. The normal dosage is 5 gallons per 1000 gallons of system volume. For the recommended nitrite residuals, consult with you Glengarry Representative. This should be monitored on a monthly basis, a simple test kit is available for this determination.

AVAILABILITY

20 Litre Pail

205 Litre Drum

HANDLING PRECAUTIONS

Wear the appropriate safety equipment before handling any chemicals. For further information, please refer to the Product Label and Material Safety Data Sheet.

TERMS OF SALE

To the best of our knowledge the information contained herein is accurate and true. Any recommendations or suggestions are made without warranty or liability on our part since the conditions of use are beyond our control.

For further information on this product, please contact our office or your service representative .